




The State of New Hampshire
Department of Environmental Services



Michael P. Nolin
Commissioner

April 20, 2005

Ms. Santina Thibedeau
The Brentwood School
1 Brentwood Drive
Merrimack, New Hampshire 03054-3668

LETTER OF COMPLIANCE
For
LETTER OF DEFICIENCY
ARD No. 2005-003

Dear Ms. Thibedeau:

The New Hampshire Department of Environmental Services, Air Resources Division ("DES"), has reviewed the actions taken at The Brentwood School located at 1 Brentwood Drive, Merrimack, NH (the "School") in response to Letter of Deficiency ARD No. 2005-003 ("LOD"). DES has determined that the specific issues addressed in the LOD have been resolved in a manner consistent with the provisions of the Asbestos Hazard Emergency Response Act of 1986 ("AHERA"), 15 USC Section 2641 *et seq.*, and the regulations promulgated pursuant to AHERA, 40 Code of Federal Regulations Part 763, Subpart E – *Asbestos Containing Materials in Schools*. Based upon a determination by DES that compliance with the LOD has been achieved, DES issues this Letter of Compliance.

Please be advised that DES will continue to monitor the compliance status at the School. Further, this letter does not provide relief against any existing or future violations, and refers only to the compliance issues addressed in the LOD.

DES recognizes the efforts that you have taken to come into compliance. If you have any questions regarding this Letter of Compliance, please contact Marjorie Yin, Compliance Bureau, Air Resources Division, at (603) 271- 4555. Thank you for your cooperation.

Sincerely,

Pamela G. Monroe
Compliance Bureau Administrator
Air Resources Division

PGM/jwr

cc W. Toland, EPA Region 1
G. Hamel, Legal Unit Administrator